

1. PRODUCT AND COMPANY IDENTIFICATION**Product Identifier**

Product Name Cherry Solv

Other means of identification

Product Code 1172

Details of the supplier of the safety data sheetCompany Name Blue Cardinal Chemical, LLC
3670 Scarlet Oak Blvd.
St. Louis, MO 63122
800-325-3312**Emergency telephone number**

Emergency Telephone CHEMTEL 1-800-255-3924

2. HAZARDS IDENTIFICATION**Classification****OSHA REGULATORY STATUS**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific Target Organ Toxicity (Single Exposure) [Central Nervous System]	Category 3
Skin corrosion/irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Skin Sensitization	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 3

Label elements**Emergency Overview****DANGER****Hazard statements**

Causes serious eye irritation
Causes skin irritation
May be fatal if swallowed and enters airways
Flammable liquid and vapor
May cause drowsiness and dizziness
May cause an allergic skin reaction



Appearance: Clear red

Physical state: Liquid

Odor: Cherry



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required, including gloves and eye or face protection. Wash thoroughly after handling. Use only outdoors or in well ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Do not breathe mists/vapors/spray. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Contaminated clothing must not be allowed out of workplace. Ground/bond container and receiving equipment

Precautionary Statements - Response

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is not required. If skin irritation persists, call a physician. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 10 minutes. Keep eye wide open while rinsing upper and lower lids. If symptoms persist, call a physician. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. If symptoms persist, or victim is unconscious, call a physician immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband. Move to fresh air in case of accidental inhalation of vapors or decomposition products. Get medical attention immediately. Call a poison center or physician. Do NOT induce vomiting. Aspiration hazard. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Rinse mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call poison control/physician if you feel unwell. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. If skin irritation occurs, get medical attention. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

Precautionary Statements - Storage

Store locked up. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container according to all local/regional/national and international regulations.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NO.	WEIGHT - %	TRADE SECRET
Distillates (petroleum), hydrotreated heavy	64742-48-9	55-70	*
Soy Methyl Esters	67784-80-9	3-7	*
2-butoxyethanol	111-76-2	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General Advice

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

Skin Contact

Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is not required. If skin irritation persists, call a physician.

Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 10 minutes. Keep eye wide open while rinsing upper and lower lids. If symptoms persist, call a physician.
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. If symptoms persist, or victim is unconscious, call a physician immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband. Move to fresh air in case of accidental inhalation of vapors or decomposition products.
Ingestion	Get medical attention immediately. Call a poison center or physician. Do NOT induce vomiting. Aspiration hazard. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Rinse mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Self-protection of the first aider	Use personal protective equipment as required. May be hazardous to give mouth-to-mouth resuscitation.

Most important symptoms and effect, both acute and delayed

Symptoms	Harmful by inhalation and in contact with eyes and skin. Avoid breathing vapors or mists. May cause irritation of respiratory tract. Avoid contact with eyes. Contact with eyes may cause irritation. Avoid contact with skin. Harmful in contact with skin. Prolonged or repeated contact may dry skin and cause irritation. Wash thoroughly after handling. May cause allergic skin reaction. Do not taste or swallow. May be harmful if swallowed.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Note to physicians	If ingested, presents significant aspiration hazard. Induction of emesis is not recommended. Consider activated charcoal and/or gastric lavage. If patient is obtunded, protect the airway by cuffed endotracheal tube or by placement of the body in a Trendelenburg and left lateral decubitus position.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable extinguishing media: Caution: Use of water spray when fighting fire may be inefficient. Do not use.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Keep people away from and upwind of spill/ leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required.
-----------------------------	--

Environmental precautions

Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
----------------------------------	--

Methods and material for containment and cleaning up**Methods for containment & cleaning up**

Prevent further leakage or spillage if safe to do so. Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent material. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE**Precautions for safe handling****Advice on Safe Handling**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible Materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters**

CHEMICAL NAME	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum Distillate CAS 64742-48-9	TWA: 212ppm 8 hrs	500ppm, 2000 mg/m ³ OSHA Z-1 400ppm, 1600 mg/m ³ OSHA P0	Not Available
2-butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls**Engineering Controls**

Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Clear
Color	Red
Odor	Cherry
Odor Threshold	No Information available

Property

<u>Property</u>	<u>Values</u>
pH	Not an Aqueous Solution
Specific Gravity	0.789
Viscosity	Water Thin
Melting Point/Freezing Point	No Information available
Flash Point	51 °C 124 °F (closed cup)
Boiling Point / Boiling Range	171 to 204 C (340 to 399 F)
Evaporation Rate	Less than butyl acetate
Flammability (Solid, Gas)	No Information available
Flammability Limits In Air	
Upper Flammability Limit:	7.0% by Volume
Lower Flammability Limit:	.6% by Volume
Vapor Pressure	.8 mm Hg @ 68 F.
Vapor Density	5.3 (air=1)
Water Solubility	.05 g/L
Partition Coefficient	No Information available
Autoignition Temperature	260 C
Decomposition Temperature	No Information available

Other Information

Density Lbs/Gal	6.57
-----------------	------

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical Stability

Stable under recommended storage conditions.

Possibility Of Hazardous Reactions

None under normal processing.

Conditions To Avoid

Heat, flames and sparks.

Incompatible Materials

Oxidizers

Hazardous Decomposition Products

May produce carbon dioxide, carbon monoxide, when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Harmful by inhalation and in contact with eyes and skin.

Skin Contact Avoid contact with skin. Harmful in contact with skin. Prolonged or repeated contact may dry skin and cause irritation. Wash thoroughly after handling. May cause allergic skin reaction.

Eye Contact	Avoid contact with eyes. Contact with eyes may cause irritation.
Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Ingestion	Do not taste or swallow. May be harmful if swallowed.

Information on toxicological effects

Symptoms	No Information available.
-----------------	---------------------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause allergic skin reaction.
Germ Cell Mutagenicity	No Information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

CHEMICAL NAME	ACGIH	IARC	NTP	OSHA
Petroleum Distillate 64742-48-9	N/A	N/A	N/A	N/A
2-butoxyethanol 111-76-2	A3	GROUP 3	-	-

ACGIH (American Conference of Governmental Industrial Hygienists)

Not classified as a human carcinogen

IARC (International Agency for Research on Cancer)

Not classified as a human carcinogen

Reproductive Toxicity

STOT - Single Exposure	Category 3 (Central Nervous System)
-------------------------------	-------------------------------------

STOT - Repeated Exposure	No Information available. Has been found to cause kidney damage in male rats, mild reversible liver effects in lab animals. Not expected to occur in humans.
---------------------------------	--

Chronic Toxicity	No known significant adverse effects.
-------------------------	---------------------------------------

Target Organ Effects	See STOT above.
-----------------------------	-----------------

Aspiration Hazard	Yes.
--------------------------	------

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity	0% of the mixture consists of ingredient(s) of unknown toxicity
-------------------------------	---

12. ECOLOGICAL INFORMATION**Ecotoxicity**

CHEMICAL NAME	ALGAE/AQUATIC PLANTS	FISH	CRUSTACEA
Petroleum distillate 64742-48-9	EL50 3.1 mg/L 72 hr	LL50 10mg/L 96 hr	EL50 4.5mg/L 48 hr.
	Selenastrum Capricornutum	Rainbow Trout	Water Flea
2-butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50

Persistence and Degradability

No Information available.

Bioaccumulation

No Information available.

CHEMICAL NAME	PARTITION COEFFICIENT
Petroleum Distillate 64742-48-9	Log Pow 3.3-5.3
2-butoxyethanol 111-76-2	0.81

Other Adverse Effects

No Information available.

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations. D001, D018. Do not reuse container.

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

Please see current shipping papers for most up to date shipping information, including exemptions and special circumstances.

15. REGULATORY INFORMATION**International Inventories**

TSCA	Complies
DSL/NDSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CHEMICAL NAME	SARA 313-THRESHOLD VALUES %
Petroleum distillate 64742-48-9	
2-butoxyethanol 111-76-2	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release Of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42). Classified as an oil. Spills that produce a visible sheen should be reported to EPA's National Response Center (800-424-8802).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**California Proposition 65**

Contains no Prop. 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Petroleum Distilate 64742-48-9	X	No	X
2-butoxyethanol 111-76-2	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPA	Health hazards	2	Flammability	2	Reactivity	0	Other	-
HMIS	Health hazards	2	Flammability	2	Reactivity	0	Personal protection	X

Issue Date 06/18/15

Revision Date 09/03/25

Revision Note

N/A = Not Applicable; N/D = Not Determined

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet