

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

1 Identification· **Product identifier**· **Trade name:** Fresh-N-Clean Scent Mini Pouch· **Other means of identification**· **Product number:** KB-FSMP01001-00· **Product Description:** Scented Mini Pouches· **Details of the supplier of the safety data sheet**· **Manufacturer/Supplier:**

CHEM-MASTER ACQUISITIONS, LLC

PO Box 220908

St. Louis, MO 63122

800-592-5080

· **Emergency telephone number:**

Chemtel

US and Canada 1 (800) 255-3924

International: +01 (813) 248-0584

*** 2 Hazard(s) identification**· **Classification of the substance or mixture**

GHS07

Acute toxicity - oral 4 H302 Harmful if swallowed.

Sensitization - skin 1 H317 May cause an allergic skin reaction.

· **Label elements**· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).· **Hazard pictograms**

GHS07

· **Signal word** Warning· **Hazard-determining components of labeling:**

BENZYL BENZOATE

Amyl Salicylate

4-tert-butylcyclohexyl acetate

Coumarin

HEXYL CINNAMAL

Linalyl Acetate

dl-Citronellol

· **Hazard statements**

Harmful if swallowed.

May cause an allergic skin reaction.

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 1)

Wear protective gloves.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

1.1 % of the mixture consists of component(s) of unknown toxicity.

· **Information pertaining to particular dangers for man and environment:**· **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme· **NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 1

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified (HNOC)**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

CAS: 120-51-4 RTECS: DG 4200000	BENZYL BENZOATE ◇ Acute toxicity - oral 4, H302	1-5%
CAS: 18479-58-8 RTECS: RH 3420000	Dihydromyrcenol ◇ Skin irritation 2, H315; Eye irritation 2A, H319; Flammable liquids 4, H227	0.5-1.5%
CAS: 2050-08-0	Amyl Salicylate ◇ Acute toxicity - oral 3, H301	0.1-1%
CAS: 32210-23-4 RTECS: AF 7117000	4-tert-butylcyclohexyl acetate ◇ Sensitization - skin 1, H317	≥0.1-<1%
CAS: 91-64-5 RTECS: GN 4200000	coumarin ◇ Specific target organ toxicity (repeated exposure) 2, H373; ◇ Acute toxicity - oral 4, H302; Sensitization - skin 1, H317	≥0.1-<1%

(Contd. on page 3)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 2)

CAS: 101-86-0	HEXYL CINNAMAL ✖ Skin irritation 2, H315; Sensitization - skin 1, H317	≥0.1-<1%
CAS: 60-12-8 RTECS: SG 7175000	PHENETHYL ALCOHOL ✖ Acute toxicity - dermal 3, H311; ✖ Acute toxicity - oral 4, H302; Eye irritation 2A, H319	0.1-1%
CAS: 115-95-7	Linalyl Acetate ✖ Skin irritation 2, H315; Sensitization - skin 1, H317; Specific target organ toxicity (single exposure) 3, H336; Flammable liquids 4, H227; Self-reactive substances and mixtures - Type G	≥0.1-<1%
CAS: 78-70-6 RTECS: RG 5775000	Linalool ✖ Sensitization - skin 1B, H317; Flammable liquids 4, H227	≥0.1-<1%
CAS: 106-22-9 RTECS: RH 3400000	dl-Citronellol ✖ Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1, H317	≥0.1-<1%

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

*** 4 First-aid measures****· Description of first aid measures****· General information:**

Keep out of reach of children.

If symptoms persist, call a physician.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye under running water.

If eye irritation occurs, consult a doctor.

· After swallowing:

Remove pellets in mouth or throat and rinse mouth with water.

Do not induce vomiting.

Get medical attention immediately.

· Most important symptoms and effects, both acute and delayed

INHALATION: Dizziness, headache, burning nostril sensation, difficulty breathing.

SKIN CONTACT: Skin irritation, rash, itching or burning sensation.

EYE CONTACT: Redness, watering, itching, or burning sensation of eyes.

INGESTION: Nausea, vomiting, difficulty swallowing, fragrant smell to breath.

· Indication of any immediate medical attention and special treatment needed Treat symptomatically.*** 5 Fire-fighting measures****· Extinguishing media****· Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: No further relevant information.**· Special hazards arising from the substance or mixture** Combustion Products: Carbon dioxide, carbon monoxide

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 3)

· **Advice for firefighters**· **Protective equipment:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

*** 6 Accidental release measures**· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers / surface or ground water.

· **Methods and material for containment and cleaning up:**

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· **Protective Action Criteria for Chemicals**

Protective Action Criteria (PACs) are essential components for planning and response to uncontrolled releases of hazardous chemicals.

· **PAC-1:**

PAC 1: Mild, transient health effects.

9002-88-4	Polyethylene low density	16 mg/m ³
120-51-4	BENZYL BENZOATE	5.1 mg/m ³
91-64-5	coumarin	0.88 mg/m ³
140-11-4	BENZYL ACETATE	30 ppm

· **PAC-2:**

PAC 2: Irreversible or other serious health effects that could impair the ability to take protective action.

9002-88-4	Polyethylene low density	170 mg/m ³
120-51-4	BENZYL BENZOATE	56 mg/m ³
91-64-5	coumarin	9.7 mg/m ³
140-11-4	BENZYL ACETATE	330 ppm

· **PAC-3:**

PAC 3: Life-threatening health effects.

9002-88-4	Polyethylene low density	1,000 mg/m ³
120-51-4	BENZYL BENZOATE	340 mg/m ³
91-64-5	coumarin	58 mg/m ³
140-11-4	BENZYL ACETATE	2,000 ppm

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

*** 7 Handling and storage**· **Precautions for safe handling**

Wear protective equipment.

Keep out of reach of children.

· **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 5)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 4)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

60-12-8 PHENETHYL ALCOHOL

TLV	Long-term value: 0.5 ppm Skin
-----	----------------------------------

- **Regulatory information** TLV: Guide to Occupational Exposure Values (TLV)

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

- **Exposure controls**

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.

- **Appropriate engineering controls** No further data; see section 7.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Goggles recommended during refilling.

- **Limitation and supervision of exposure into the environment** None

(Contd. on page 6)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 5)

*** 9 Physical and chemical properties**

· Information on basic physical and chemical properties	
· General Information	
· Physical state	Solid
· Color:	See product specification
· Odor:	Fresh
· Odor threshold:	Not determined.
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.
· Flammability:	Not applicable.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>93 °C (>199.4 °F)
· Decomposition temperature:	Not determined.
· pH-value:	Not determined.
· Viscosity:	
· Kinematic:	Not determined.
· Dynamic:	Not determined.
· Solubility in / Miscibility with	
· Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not applicable.
· Particle characteristics	Not determined.
· Other information	
· Appearance:	
· Form:	Solid Polyethylene Bead
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Solvent content:	
· VOC content:	0.00 % 6.3 g/l / 0.05 lb/gal
· Change in condition	
· Oxidizing properties	None
· Evaporation rate	Not determined.

*** 10 Stability and reactivity****· Reactivity**

The product is stable under normal conditions.

No further relevant information available.

· **Chemical stability** Stable under normal conditions.· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.· **Possibility of hazardous reactions** No dangerous reactions known.· **Conditions to avoid** High temperature and direct sunlight

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 6)

· Incompatible materials:

Strong acids

Strong bases

· Hazardous decomposition products:

Carbon dioxide

Carbon monoxide

Organic vapors.

11 Toxicological information*· Information on toxicological effects****· Acute toxicity:****· LD/LC50 values that are relevant for classification:****ATE (Acute Toxicity Estimate)**

Oral	LD50	11,462 mg/kg
Dermal	LD50	319,838 mg/kg (Rabbit)

120-51-4 BENZYL BENZOATE

Oral	LD50	1,700 mg/kg (Rat)
Dermal	LD50	4,000 mg/kg (Rabbit)

32210-23-4 4-tert-butylcyclohexyl acetate

Oral	LD50	5,000 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rabbit)
Inhalative	LC50	100 mg/l (Rat)

91-64-5 coumarin

Oral	LD50	196 mg/kg (mouse)
		293 mg/kg (Rat)
Inhalative	LC50/96 hours	56 Mg/l (minnow)
	LC50	13.5 mg/l (Water flea)

60-12-8 PHENETHYL ALCOHOL

Oral	LD50	1,790 mg/kg (Rat)
Dermal	LD50	790 mg/kg (Rabbit)

78-70-6 Linalool

Oral	LD50	2,790 mg/kg (Rat)
Dermal	LD50	5,610 mg/kg (Rat)
		5,610 mg/kg (Rabbit)

106-22-9 dl-Citronellol

Oral	LD50	3,450 mg/kg (Rat)
Dermal	LD50	2,650 mg/kg (Rabbit)

· Primary irritant effect:**· on the skin:** No irritant effect.**· on the eye:** No irritating effect.**· Sensitization:** Sensitization possible through skin contact.**· Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Interactive effects No interactive effects between components are known.

(Contd. on page 8)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 7)

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

9002-88-4	Polyethylene low density	3
91-64-5	coumarin	3
140-11-4	BENZYL ACETATE	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Alternative sources for toxicological information** No non-standard sources for toxicological information were used.***12 Ecological information**· **Toxicity**· **Aquatic toxicity:**106-22-9 *dl-Citronellol*

EC50	2.4 mg/kg (algae)
	17 mg/kg (daphnia)

· **Persistence and degradability** No further relevant information available.· **Other information:** If bag is broken, the beads become an ecological hazard to birds.· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects**· **Additional ecological information:**· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

***13 Disposal considerations**· **Waste treatment methods**· **Recommendation:** Observe all federal, state and local environmental regulations when disposing of this material.· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agent:** Water, if necessary with cleansing agents.**14 Transport information**· **UN-Number**· **DOT, IMDG, IATA**

Non-Regulated Material

(Contd. on page 9)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 8)

· UN proper shipping name	
· DOT, IMDG, IATA	Non-Regulated Material
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	Non-Regulated Material
· Packing group	
· DOT, IMDG, IATA	Non-Regulated Material
· Environmental hazards:	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Special precautions for user	Not applicable.
· UN "Model Regulation":	Non-Regulated Material

15 Regulatory information*· Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· Sara**· Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

1222-05-5 | Hexamethylindanopyran

· TSCA (Toxic Substances Control Act):

9002-88-4	Polyethylene low density	ACTIVE
120-51-4	BENZYL BENZOATE	ACTIVE
18479-58-8	Dihydromyrcenol	ACTIVE
2050-08-0	Amyl Salicylate	ACTIVE
63500-71-0	2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	ACTIVE
1335-46-2	Methyl ionone (mixture of isomers)	ACTIVE
32210-23-4	4-tert-butylcyclohexyl acetate	ACTIVE
91-64-5	coumarin	ACTIVE
140-11-4	BENZYL ACETATE	ACTIVE
101-86-0	HEXYL CINNAMAL	ACTIVE
60-12-8	PHENETHYL ALCOHOL	ACTIVE
115-95-7	Linalyl Acetate	ACTIVE
78-70-6	Linalool	ACTIVE
98-55-5	alpha-Terpineol	ACTIVE
68912-13-0	3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate (mixture of isomers)	ACTIVE
106-22-9	dl-Citronellol	ACTIVE
110-41-8	2-METHYLUNDECANAL	ACTIVE
106-25-2	nerol	ACTIVE
1222-05-5	Hexamethylindanopyran	ACTIVE

(Contd. on page 10)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 9)

2705-87-5	Allyl cyclohexanepropionate	ACTIVE
106-24-1	geraniol	ACTIVE
106-23-0	CITRONELLAL	ACTIVE
112-54-9	Lauric aldehyde	ACTIVE
104-62-1	Phenethyl formate	ACTIVE
105-87-3	geranyl acetate	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **New Jersey Right-to-Know List:**

140-11-4 BENZYL ACETATE

· **New Jersey Special Hazardous Substance List:**

None of the ingredients is listed.

· **Pennsylvania Right-to-Know List:**

None of the ingredients is listed.

· **Pennsylvania Special Hazardous Substance List:**

None of the ingredients is listed.

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

140-11-4 BENZYL ACETATE

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).· **Hazard pictograms**

GHS07

· **Signal word** Warning· **Hazard-determining components of labeling:**

BENZYL BENZOATE

Amyl Salicylate

(Contd. on page 11)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 10)

4-tert-butylcyclohexyl acetate

Coumarin

HEXYL CINNAMAL

Linalyl Acetate

dl-Citronellol

· Hazard statements

Harmful if swallowed.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**16 Other information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· SDS created by: Access GHS, LLC - 888-363-4870 - Team@access-ghs-sds.com**· Date of previous version** 01/22/2025**· Version number of previous version:** 2**· Date of preparation** 09/15/2025**· Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 4: Flammable liquids – Category 4

Self-reactive substances and mixtures - Type G: Self-reactive substances and mixtures – Type G

Acute toxicity - oral 3: Acute toxicity – Category 3

Acute toxicity - oral 4: Acute toxicity – Category 4

Skin irritation 2: Skin corrosion/irritation – Category 2

Eye irritation 2A: Serious eye damage/eye irritation – Category 2A

(Contd. on page 12)

Safety Data Sheet**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

Date of issue: 09/15/2025

Reviewed on 09/15/2025

Trade name: Fresh-N-Clean Scent Mini Pouch

(Contd. of page 11)

Sensitization - skin 1: Skin sensitisation – Category 1

Sensitization - skin 1B: Skin sensitisation – Category 1B

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (repeated exposure) – Category 2

· * Data compared to the previous version altered.