

Issue Date 08/06/2022

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

Product Name LIFT CLEAN

### Other means of identification

Product Code 6125

### Details of the supplier of the safety data sheet

Company Name Blue Cardinal Chemical, LLC  
3670 Scarlet Oak Blvd.  
St. Louis, MO 63122  
800-325-3312

### Emergency telephone number

Emergency Telephone CHEMTEL 1-800-255-3924

## 2. HAZARDS IDENTIFICATION

### Classification

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 3

### Label elements

### Emergency Overview

## DANGER

#### Hazard statements

May be harmful if swallowed  
May be harmful in contact with skin  
Causes skin irritation  
Causes serious eye irritation  
May cause genetic defects  
May cause cancer  
Causes damage to organs through prolonged or repeated exposure  
May be fatal if swallowed and enters airways  
Flammable liquid and vapor

**Appearance:** Clear**Physical state:** Liquid**Odor:** Solvent Citrus**Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use explosion-proof electrical/ventilating/lighting/equipment. Eye/face protection: Face protection shield. Tight sealing safety goggles. Skin and body protection: Wear protective gloves and protective clothing.

**Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Do NOT induce vomiting.

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction.

**Precautionary Statements - Storage**

Store locked up. Store in a well-ventilated place. Keep cool.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

**Hazards not otherwise classified (HNOC)****Other Information**

- Toxic to aquatic life with long lasting effects
- Toxic to aquatic life

Unknown Acute Toxicity

0.02 % of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NO.	WEIGHT - %	TRADE SECRET
Stoddard solvent	8052-41-3	30-60	*
Solvent Naptha (Petroleum), Light Aromatic	64742-95-6	10-30	*
2-butoxyethanol	111-76-2	10-30	*
1,2,4-Trimethylbenzene	95-63-6	5-10	*
1,3,5-Trimethylbenzene	108-67-8	1-5	*
Xylene	1330-20-7	1-5	*
Diethylbenzene	25340-17-4	1-5	*
Cumene	98-82-8	1-5	*
D-Limonene	5989-27-5	1-1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

##### First aid measures

General Advice	Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. If symptoms persist, call a physician.
Skin Contact	Consult a physician if necessary. Wash contaminated clothing before reuse. Wash off immediately with plenty of water. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Inhalation	Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Move to fresh air in case of accidental inhalation of vapors. Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.
Self-protection of the first aider	Use personal protective equipment as required.

##### Most important symptoms and effect, both acute and delayed

Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.
----------	--

##### Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
--------------------	------------------------

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

Use. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray (fog). Alcohol resistant foam.

**Unsuitable extinguishing media:** Do not use a solid water stream as it may scatter and spread fire.

##### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

##### Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required.

### Environmental precautions

#### Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### Methods and material for containment and cleaning up

#### Methods for containment & cleaning up

Prevent further leakage or spillage if safe to do so. Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### Advice on Safe Handling

Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

#### Incompatible Materials

None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CHEMICAL NAME	ACGIH TLV	OSHA PEL	NIOSH IDLH
Stoddard solvent 8052-41-3	TWA: 100 ppm	TWA: 500 ppm TWA: 2900 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m <sup>3</sup>	IDLH: 20000 mg/m <sup>3</sup> Ceiling: 1800 mg/m <sup>3</sup> 15 min TWA: 350 mg/m <sup>3</sup>
2-butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
1,2,4-Trimethylbenzene 95-63-6	TWA: 25 ppm	(vacated) TWA: 25 ppm (vacated) TWA: 125 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 125 mg/m <sup>3</sup>
1,3,5-Trimethylbenzene 108-67-8	TWA: 25 ppm	(vacated) TWA: 25 ppm (vacated) TWA: 125 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 125 mg/m <sup>3</sup>

CHEMICAL NAME	ACGIH TLV	OSHA PEL	NIOSH IDLH
Cumene 98-82-8	TWA: 50 ppm	TWA: 50 ppm TWA: 245 mg/m <sup>3</sup> (vacated) TWA: 50 ppm (vacated) TWA: 245 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 900 ppm TWA: 50 ppm TWA: 245 mg/m <sup>3</sup>
Xylene 1330-20-7	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 435 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 655 mg/m <sup>3</sup>	-

NIOSH IDLH Immediately Dangerous to Life or Health

#### Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

##### Engineering Controls

Showers, Eyewash stations & Ventilation systems.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Face protection shield. Tight sealing safety goggles.

##### Skin and body protection

Wear protective gloves and protective clothing. Prolonged or repeated contact may be drying to skin.

##### Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

##### General Hygiene

Wash contaminated clothing before reuse. When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Clear
Color	Red
Odor	Solvent Citrus
Odor Threshold	No Information available

#### Property

#### Values

pH	Not an Aqueous Solution
Specific Gravity	0.80
Viscosity	Water Thin
Melting point/freezing point	No Information available
Flash point	49 °C / 120 °F
Boiling point / boiling range	No Information available /
Evaporation rate	No Information available
Flammability (solid, gas)	No data available
Flammability Limits in Air	
Upper flammability limit	No Information available

Lower flammability limit	No Information available
Vapor pressure	No Information available
Vapor density	No Information available
Water solubility	Insoluble in water
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available

**Other Information**

Density Lbs/Gal	6.67
Voc Content (%)	>95

**10. STABILITY AND REACTIVITY****Chemical Stability**

Stable under recommended storage conditions.

**Possibility Of Hazardous Reactions**

None under normal processing.

**Conditions To Avoid**

Heat, flames and sparks.

**Incompatible Materials**

None known based on information supplied.

**Hazardous Decomposition Products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

<b>Product Information</b>	Harmful by inhalation, ingestion, in contact with eyes and skin.
<b>Skin Contact</b>	May be harmful in contact with skin.
<b>Eye Contact</b>	Severely irritating to eyes.
<b>Inhalation</b>	May cause irritation of respiratory tract. May cause possibly severe irritation of the respiratory tract.
<b>Ingestion</b>	Potential for aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis.

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Solvent Naptha (Petroleum), Light Aromatic 64742-95-6	= 8400 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 3400 ppm ( Rat ) 4 h
2-butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 435 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h = 486 ppm ( Rat ) 4 h
1,2,4-Trimethylbenzene 95-63-6	= 3280 mg/kg ( Rat ) = 8970 mg/kg ( Rat )	> 3160 mg/kg ( Rabbit )	= 18 g/m3 ( Rat ) 4 h
1,3,5-Trimethylbenzene 108-67-8	= 8970 mg/kg ( Rat )	-	= 24 g/m3 ( Rat ) 4 h

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Xylene 1330-20-7	= 3500 mg/kg ( Rat ) = 4820 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.04 mg/L ( Rat ) 4 h
Diethylbenzene 25340-17-4	= 3000 mg/kg ( Rabbit )	> 5000 mg/kg ( Rabbit )	-
Cumene 98-82-8	= 1400 mg/kg ( Rat )	= 12300 µL/kg ( Rabbit )	> 3577 ppm ( Rat ) 6 h
D-Limonene 5989-27-5	= 5200 mg/kg ( Rat ) = 4400 mg/kg ( Rat ) = 5300 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	-

**Information on toxicological effects**

**Symptoms** No Information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No Information available.

**Germ cell mutagenicity** No Information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

CHEMICAL NAME	ACGIH	IARC	NTP	OSHA
2-butoxyethanol 111-76-2	A3	Group 3	-	-
Xylene 1330-20-7	-	Group 3	-	-
Cumene 98-82-8	-	Group 2B	Reasonably Anticipated	X
D-Limonene 5989-27-5	-	Group 3	-	X

*ACGIH (American Conference of Governmental Industrial Hygienists)*

*A3 - Animal Carcinogen*

*IARC (International Agency for Research on Cancer)*

*Group 2B - Possibly Carcinogenic to Humans*

*Group 3 - Not classifiable as a human carcinogen*

*NTP (National Toxicology Program)*

*Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen*

*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*

*X - Present*

**Reproductive Toxicity** No Information available.

**STOT - Single Exposure** No Information available.

**STOT - Repeated Exposure** No Information available.

**Chronic Toxicity** Avoid repeated exposure. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.

**Target Organ Effects** Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory system, Skin.

**Aspiration Hazard** Risk of serious damage to the lungs (by aspiration). May be fatal if swallowed and enters airways.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 0.02 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 2,811 mg/kg

ATEmix (dermal) 2,322 mg/kg

ATEmix (inhalation-dust/mist) 6 mg/l

ATEmix (inhalation-vapor) 3,219 mg/l

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

0.02% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

CHEMICAL NAME	ALGAE/AQUATIC PLANTS	FISH	CRUSTACEA
Solvent Naptha (Petroleum), Light Aromatic 64742-95-6	-	9.22: 96 h Oncorhynchus mykiss mg/L LC50	6.14: 48 h Daphnia magna mg/L EC50
2-butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
1,2,4-Trimethylbenzene 95-63-6	-	7.19 - 8.28: 96 h Pimephales promelas mg/L LC50 flow-through 7.72: 96 h Pimephales promelas mg/L LC50 flow-through	6.14: 48 h Daphnia magna mg/L EC50
1,3,5-Trimethylbenzene 108-67-8	-	3.48: 96 h Pimephales promelas mg/L LC50 7.72: 96 h Pimephales promelas mg/L LC50 flow-through	-
Cumene 98-82-8	2.6: 72 h Pseudokirchneriella subcapitata mg/L EC50	6.04 - 6.61: 96 h Pimephales promelas mg/L LC50 flow-through 2.7: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 4.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 5.1: 96 h Poecilia reticulata mg/L LC50 semi-static	7.9 - 14.1: 48 h Daphnia magna mg/L EC50 Static 0.6: 48 h Daphnia magna mg/L EC50
Xylene 1330-20-7	11: 72 h Pseudokirchneriella subcapitata mg/L EC50	13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 2.661 - 4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 30.26 - 40.75: 96 h Poecilia reticulata mg/L LC50 static 7.711 - 9.591: 96 h Lepomis macrochirus mg/L LC50 static 13.4: 96 h Pimephales promelas mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50	0.6: 48 h Gammarus lacustris mg/L LC50 3.82: 48 h water flea mg/L EC50



CHEMICAL NAME	ALGAE/AQUATIC PLANTS	FISH	CRUSTACEA
Benzaldehyde 100-52-7	-	0.8 - 1.44: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 10.6 - 11.8: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 6.8 - 8.53: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 12.69: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 7.5: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	-
D-Limonene 5989-27-5	-	0.619 - 0.796: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 35: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50	-

**Persistence and Degradability**

No Information available.

**Bioaccumulation**

No Information available.

CHEMICAL NAME	PARTITION COEFFICIENT
2-butoxyethanol 111-76-2	0.81
1,2,4-Trimethylbenzene 95-63-6	3.63
Xylene 1330-20-7	3.15
Cumene 98-82-8	3.7

**Other adverse effects**

No Information available.

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Do not reuse container.

CHEMICAL NAME	RCRA	RCRA-BASIS FOR LIVING	RCRA-D SERIES WASTES	RCRA-U SERIES WASTES
Cumene 98-82-8	-	-	-	U055
Xylene 1330-20-7	-	Included in waste stream: F039	-	U239

This product contains one or more substances that are listed with the State of California as a hazardous waste.

CHEMICAL NAME	CALIFORNIA HAZARDOUS WASTE STATUS
Xylene 1330-20-7	Toxic Ignitable

CHEMICAL NAME	CALIFORNIA HAZARDOUS WASTE STATUS
Cumene 98-82-8	Toxic Ignitable
D-Limonene 5989-27-5	Toxic

**14. TRANSPORT INFORMATION**

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

**DOT**

UN/ID No. UN1286  
Proper Shipping Name Petroleum Distillates, n.o.s.  
Hazard Class 3  
Packing Group III

**15. REGULATORY INFORMATION****International Inventories**

TSCA Complies  
DSL/NDL Complies

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CHEMICAL NAME	SARA 313-THRESHOLD VALUES %
2-butoxyethanol - 111-76-2	1.0
1,2,4-Trimethylbenzene - 95-63-6	1.0
Cumene - 98-82-8	0.1
Xylene - 1330-20-7	1.0

**SARA 311/312 Hazard Categories**

Acute Health Hazard Yes  
Chronic Health Hazard Yes  
Fire Hazard Yes  
Sudden Release Of Pressure Hazard No  
Reactive Hazard No

**CWA (Clean Water Act)**

This product contains substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CHEMICAL NAME	CWA-REPORTABLE QUANTITIES	CWA-TOXIC POLLUTANTS	CWA-PRIORITY POLLUTANTS	CWA-HAZARDOUS SUBSTANCES
Xylene 1330-20-7	100 lb	-	-	X

**CERCLA**

This material contains substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Xylene 1330-20-7	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ
Cumene 98-82-8	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

**US State Regulations****California Proposition 65**

This product contains chemicals known to the state of California to cause cancer, or birth defects or other reproductive harm.

CHEMICAL NAME	CALIFORNIA PROPOSITION 65
Cumene - 98-82-8	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Stoddard solvent 8052-41-3	X	X	X
2-butoxyethanol 111-76-2	X	X	X
1,2,4-Trimethylbenzene 95-63-6	X	X	X
1,3,5-Trimethylbenzene 108-67-8	X	X	X
Cumene 98-82-8	X	X	X
Xylene 1330-20-7	X	X	X
Diethylbenzene 25340-17-4	X	-	-
Benzaldehyde 100-52-7	X	X	X
D-Limonene 5989-27-5	X	-	-

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

**16. OTHER INFORMATION**

<b>NFPA</b>	Health hazards	2	Flammability	2	Reactivity	0	Other	-
<b>HMIS</b>	Health hazards	2	Flammability	2	Reactivity	0	Personal protection	X

Issue Date 08/06/2022  
Revision Date  
Revision Note

N/A = Not Applicable; N/D = Not Determined

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**