

Issue Date 08/09/2022

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

Product Name Metal Coat

### Other means of identification

Product Code 1956

### Details of the supplier of the safety data sheet

Company Name Blue Cardinal Chemical, LLC  
3670 Scarlet Oak Blvd.  
St. Louis, MO 63122  
800-325-3312

### Emergency telephone number

Emergency Telephone CHEMTEL 1-800-255-3924

## 2. HAZARDS IDENTIFICATION

### Classification

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 3
Carcinogenicity	Category 1B
Flammable liquids	Category 3

### Label elements

#### Emergency Overview

## DANGER

#### Hazard statements

Harmful if inhaled  
Causes mild skin irritation  
May cause cancer  
Flammable liquid and vapor



Appearance: Clear

Physical state: Liquid

Odor: Solvent



**Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use explosion-proof electrical/ventilating/lighting/equipment.

**Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water. Immediately call a POISON CENTER or doctor/physician. In case of fire: Use CO2, dry chemical, or foam for extinction.

**Precautionary Statements - Storage**

Store locked up. Store in a well-ventilated place. Keep cool.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

Unknown Acute Toxicity

23.66 % of the mixture consists of ingredient(s) of unknown toxicity

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

CHEMICAL NAME	CAS NO.	WEIGHT - %	TRADE SECRET
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	60-100	*
2-butoxyethanol	111-76-2	3-7	*

**\*The exact percentage (concentration) of composition has been withheld as a trade secret.**

**4. FIRST AID MEASURES****First aid measures****General Advice**

If symptoms persist, call a physician.

**Skin Contact**

Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**Eye Contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

**Inhalation**

Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.

**Ingestion**

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.

**Self-protection of the first aider**

Use personal protective equipment as required.

**Most important symptoms and effect, both acute and delayed****Symptoms**

Any additional important symptoms and effects are described in Section 11: Toxicology Information.

**Indication of any immediate medical attention and special treatment needed****Note to physicians**

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Use. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray (fog). Alcohol resistant foam.

**Unsuitable extinguishing media:** Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

#### Explosion data

**Sensitivity to Mechanical Impact**

None.

**Sensitivity to Static Discharge**

None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required.

### Environmental precautions

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### Methods and material for containment and cleaning up

#### **Methods for containment & cleaning up**

Prevent further leakage or spillage if safe to do so. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Advice on Safe Handling**

Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

#### **Incompatible Materials**

None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

CHEMICAL NAME	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	TWA: 5 mg/m <sup>3</sup> inhalable particulate matter excluding metal working fluids, highly & severely refined	TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
2-butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

### Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

#### Engineering Controls

Showers, Eyewash stations & Ventilation systems.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles.

#### Skin and body protection

Wear protective gloves and protective clothing.

#### Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### General Hygiene

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Clear
Color	Colorless
Odor	Solvent
Odor Threshold	No Information available

### Property

### Values

pH	Not an Aqueous Solution
Specific Gravity	.8
Viscosity	Water Thin
Melting point/freezing point	No Information available
Flash point	40 °C / 104 °F
Boiling point / boiling range	No Information available
Evaporation rate	No Information available
Flammability (solid, gas)	No data available
Flammability Limits in Air	
Upper flammability limit	No Information available

Lower flammability limit	No Information available
Vapor pressure	No Information available
Vapor density	No Information available
Water solubility	Insoluble in water
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available

**Other Information**

Density Lbs/Gal	6.7
Voc Content (%)	>90

**10. STABILITY AND REACTIVITY****Reactivity**

No data available.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility Of Hazardous Reactions**

None under normal processing.

**Conditions To Avoid**

Heat, flames and sparks.

**Incompatible Materials**

None known based on information supplied.

**Hazardous Decomposition Products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

<b>Skin Contact</b>	Avoid contact with skin. Prolonged contact may cause redness and irritation.
<b>Eye Contact</b>	Avoid contact with eyes.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	Not an expected route of exposure. Do not taste or swallow.

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	> 24 g/kg ( Rat )	-	= 3900 mg/m <sup>3</sup> ( Rat ) 4 h = 2062 ppm ( Rat ) 4 h
2-butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 435 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h = 486 ppm ( Rat ) 4 h

**Information on toxicological effects**

<b>Symptoms</b>	No Information available.
-----------------	---------------------------

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	No Information available.
<b>Germ Cell Mutagenicity</b>	No Information available.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen.

CHEMICAL NAME	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	A2	Group 1	Known	X
2-butoxyethanol 111-76-2	A3	Group 3	-	-

*ACGIH (American Conference of Governmental Industrial Hygienists)*

*A2 - Suspected Human Carcinogen*

*A3 - Animal Carcinogen*

*IARC (International Agency for Research on Cancer)*

*Group 1 - Carcinogenic to Humans*

*Group 3 - Not classifiable as a human carcinogen*

*NTP (National Toxicology Program)*

*Known - Known Carcinogen*

*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*

*X - Present*

<b>Reproductive Toxicity</b>	No Information available.
<b>STOT - Single Exposure</b>	No Information available.
<b>STOT - Repeated Exposure</b>	No Information available.
<b>Chronic Toxicity</b>	May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.
<b>Target Organ Effects</b>	Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory system, Skin.
<b>Aspiration Hazard</b>	No Information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity**      **23 % of the mixture consists of ingredient(s) of unknown toxicity**

The following values are calculated based on chapter 3.1 of the GHS document.

<b>ATEmix (oral)</b>	5,427 mg/kg
<b>ATEmix (dermal)</b>	6,361 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	3.5 mg/l
<b>ATEmix (inhalation-vapor)</b>	1,656 mg/l

## 12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT.

**Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

CHEMICAL NAME	ALGAE/AQUATIC PLANTS	FISH	CRUSTACEA
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	-	5000: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50	1000: 48 h <i>Daphnia magna</i> mg/L EC50

CHEMICAL NAME	ALGAE/AQUATIC PLANTS	FISH	CRUSTACEA
2-butoxyethanol 111-76-2	-	1490: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 2950: 96 h <i>Lepomis macrochirus</i> mg/L LC50	1000: 48 h <i>Daphnia magna</i> mg/L EC50

**Persistence and Degradability**

No Information available.

**Bioaccumulation**

No Information available.

CHEMICAL NAME	PARTITION COEFFICIENT
2-butoxyethanol 111-76-2	0.81

**Other Adverse Effects**

No Information available.

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container.

**14. TRANSPORT INFORMATION**

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

**DOT**

UN/ID No.	UN1268
Proper Shipping Name	Petroleum Distillates, n.o.s.
Hazard Class	3
Packing Group	III
Marine Pollutant	This product contains a chemical which is listed as a marine pollutant according to DOT.

**15. REGULATORY INFORMATION****International Inventories**

TSCA	Complies
DSL/NDL	Complies

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CHEMICAL NAME	SARA 313-THRESHOLD VALUES %
2-butoxyethanol - 111-76-2	1.0

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release Of Pressure Hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	X	X	X
2-butoxyethanol 111-76-2	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

**16. OTHER INFORMATION**

<b>NFPA</b>	Health hazards	2	Flammability	2	Reactivity	0	Other	-
<b>HMIS</b>	Health hazards	2	Flammability	2	Reactivity	0	Personal protection	X

Issue Date 08/09/2022

Revision Date

Revision Note

N/A = Not Applicable; N/D = Not Determined

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet