

STAINLESS STEEL COATING TB-61100000-00

DESCRIPTION

Elevate and protect metal surfaces with STAINLESS STEEL COATING—a professional-grade coating designed to bring lasting strength, style, and durability to your projects. Formulated with genuine 316L stainless steel pigment, this powerful spray creates a sleek satin sheen that resists corrosion, moisture, and everyday wear. Whether you're restoring machinery, touching up welds, or refining metal structures, this finish delivers reliable coverage and a clean, modern appearance. It is heat-resistant, food-safe for incidental contact, and dries quickly for minimal downtime.

DIRECTIONS

Shake the aerosol can vigorously for at least one minute after the mixing ball begins to rattle. Before applying to the project surface, test spray on a scrap piece or inconspicuous area to ensure compatibility and desired finish. Hold the can 8–10 inches from the surface and spray in a steady, back-and-forth motion, slightly overlapping each stroke.

FEATURES & BENEFITS

- Contains 100% pure 316L stainless steel pigment
- Perfect for protecting, painting metal, and touching up welds
- Provides superior corrosion resistance
- Satin sheen finish
- · Protects against sunlight, oil, and water

RECOMMENDED USES

- Industrial machinery
- · Welded joints
- Metal structures
- Outdoor metal fixtures
- Food processing equipment
- Heat-exposed surfaces
- Automotive parts

TERAND	
STAINLES: STEEL	1
COATING CONTAINS 100% PURE 316L STAINLESS STEE	
PERFECT FOR PROTECTING, PAINTING META TOUCHING UP WELDS PROVIDES SUPERIOR CORROSION RESISTAN SATIN SHEEN FINISH PROTECTS AGAINST SUNLIGHT, OIL, AND WA	ICÉ
DANCER: DIREMELY FLAMMABLE AEROSOL. CONTAINS GAS MIDDER PRESSURE: MAY EXPLODE IF HEATED CAUS MILIBRITATION. CAUSES SERIOUS EYE IRRITATIO MAY DAMAGE FERTILITY OR THE UNBORN CHILD MANGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.	N.
NET WT. 13 OZ. (369 GRAMS)	

PROPERTIES		
Color	Not determined	
Fragrance	Aromatic	
Spray Pattern	Fan Spray	
Flash Point	-19 °C (-2.2 °F)	
Dielectric Strength	Not determined	
VOC Content	Not determined	
Propellant	Propane and n-Butane	
PACKAGING		
Can Size	20 oz.	
Net Weight	13 oz. (369 g)	
Extender Tube	No	
Packaged	12 Cans per case	
Shipping Weight	6.7 lbs	
REGULATORY		
Ozone Depleting Compounds	None	
VOC Compliant	Not determined	
Recylable Packaging	Yes	

For industrial use only. Refer to the product's Safety Data Sheet (SDS) for complete safety, handling, and first aid information.

Phone: 800-592-5080 Email:terandbrand@chem-masterstl.com CHEM-MASTER ACQUISITIONS, LLC PO Box 220908 St. Louis, MO 63122