

SAFETY DATA SHEET

Issue Date 02/20/2019 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Ultimate Shine II

Other means of identification

Product Code 6555

Details of the supplier of the safety data sheet

Company Name Blue Cardinal Chemical, LLC

3670 Scarlet Oak Blvd. St. Louis, MO 63122 800-325-3312

Emergency telephone number

Emergency Telephone CHEMTEL 1-800-255-3924

2. HAZARDS IDENTIFICATION

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29CFR 1910.1200). However, this Safety Data Sheet contains valuable information critical to the safe handling and proper use of this product.

This product contains no substances which, at their given concentration, are considered to be hazardous to health.

Label elements

Emergency Overview

Appearance: Milky-white liquid Physical state: Liquid Odor: Chemical







Precautionary Statements - Prevention

Keep unnecessary personnel away. Keep people away from and upwind of spill. Keep out of low areas. Wear appropriate protective equipment and clothing during clean up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Wear eye protection and face protection. Wear chemical resistant gloves.

Precautionary Statements - Response

Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes, lifting upper and lower lids. Get medical advice/attention. Skin Contact: Wash with plenty of water. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash it before reuse. Inhalation: Move to fresh air. Call a physician if symptoms develop or persist. Ingestion: Rinse mouth with water and drink plenty of water.

Precautionary Statements - Storage

Store in original tightly closed container. Store away from any incompatible materials (see sec. 10).

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Other Hazards

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

ULTIMATE SHINE II ISSUE DATE 20-FEB-2019

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NO.	WEIGHT - %	TRADE SECRET
Tributoxyethyl phosphate	78-51-3	1-5	*
Glycol ether TPM	25498-49-1	1-5	*
Di(ethylene glycol) ethyl ether	111-90-0	1-5	*
Dipropylene Glycol Monomethyl Ether (DPM)	34590-94-8	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact Wash with plenty of water. If skin irritation occurs: get medical advice/attention. Take

off contaminated clothing and wash it before reuse.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting upper and lower

lids. Get medical advice/attention.

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Ingestion Rinse mouth with water and drink plenty of water.

Most important symptoms and effect, both acute and delayed

Symptoms Eye itching, stinging, redness, tearing. Skin redness, itching.

Indication of any immediate medical attention and special treatment needed

Note to physicians Provide general supportive measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed. No unusual fire or explosion hazards noted.

Protective equipment and precautions for firefighters

Self contained breathing apparatus and full protective clothing. Move containers from area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Keep unnecessary person

Keep unnecessary personnel away. Keep people away from and upwind of spill. Keep out of low areas. Wear appropriate protective equipment and clothing during clean up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

ISSUE DATE 20-FEB-2019 ULTIMATE SHINE II

Environmental precautions

Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory

personnel of all releases. Prevent further leakage or spillage if safe to do so. Avoid

discharge into drains, water courses or onto the ground.

Methods and material for containment and cleaning up

Methods for containment & cleaning up This product is miscible in water. Large spills: stop the flow of material, if this is

without risk. Dike the spilled material, where possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small spills: wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never

return spilled material to original container.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Do not get in eyes, on skin, or on clothing. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in original tightly closed container. Store away from any incompatible materials

(see sec. 10).

Incompatible Materials Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Dipropylene Glycol Monomethyl Ether ACGIH TLV STEL 150ppm, TWA 100ppm S*

> OSHA PEL TWA 100ppm, TWA 600mg/m3 (vacated), TWA 600mg/m3 (vacated), STEL 150ppm (vacated), STEL 900 mg/m3

(vacated) S*

NIOSH IDLH: IDLH 600ppm, TWA 100ppm, TWA 600mg/m3, STEL

150ppm, STEL 900mg/m3

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to **Engineering Controls**

conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. It is recommended that users of this product perform a risk

assessment to determine the appropriate PPE.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear eye protection and face protection.

Skin and body protection Wear chemical resistant gloves.

Respiratory protection No special protective equipment is needed under normal use conditions.

General Hygiene Always observe good personal hygiene measures, such as washing after handling

the material and before eating, drinking, and/or smoking. Routinely wash work

clothes and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Milky-white liquid
Color Milky white
Odor Chemical
Odor Threshold Not available

<u>Property</u> <u>Values</u>

8-9 рΗ **Boiling Point** >212 F **Vapor Pressure** Unknown **Specific Gravity** 1.027 **Melting Point/Freeze Point** Unknown **Flash Point** >200 F **Evaporation Rate** Not available Flammability (solid, gas) Non-flammable **Upper Flammability Limit** Not available **Lower Flammability Limit** Not available **Explosive Properties** Not available **Vapor Density** Not available **Water Solubility** Soluble **Auto-Ignition Temperature** Not available **Decomposition Temperature** Not available **Viscosity** Water-like **Oxidizing Properties** Not an oxidizer Other Solubilities Not available

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under normal conditions.

Possibility Of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions To Avoid

Do not mix with other chemicals. Avoid contact with incompatible materials.

Incompatible Materials

Strong acids.

Hazardous Decomposition Products

Irritating and/or noxious fumes and gases may be emitted upon decomposition.

ISSUE DATE 20-FEB-2019

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Skin Contact May cause skin irritation.

Eye Contact May cause serious eye irritation.

Inhalation May cause irritation of the respiratory system. Prolonged inhalation may be harmful.

Ingestion Causes respiratory tract irritation.

CHEMICAL NAME ORAL LD50		DERMAL LD50	INHALATION LC50
Tributoxyethyl phosphate 000mg/kg		>5000 mg/kg	>6.4mg/L
Di(ethyleneglycol) ethyl ether	920mg/kg	4200uL/kg	>5240mg/m3, 4hr
Glycol ether TPM	184mg/kg	15440mg/kg	
Dipropylene Glycol Monomethyl Ether (DPM)	5230mg/kg	9500mg/kg	
Alcohol ethoxylate	1378mg/kg	>2g/kg	

Information on toxicological effects

Symptoms Eye itching, stinging, redness, tearing. Skin redness, itching.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Respiratory Sensitization Not a respiratory sensitizer.

Skin Sensitization Not a skin sensitizer.

Germ Cell Mutagenicity No data available to indicate product is mutagenic or genotoxic.

Reproductive Toxicity Not expected to cause reproductive toxicity.

STOT - Single Exposure Not classified.
STOT - Repeated Exposure Not classified.
Chronic Toxicity None noted.
Aspiration Hazard Not available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

CHEMICAL NAME ALGAE/AQUATIC PLANTS		FISH	CRUSTACEA	
Tributoxyethyl phosphate	N/A	LC50 10.4-12.0mg/l N/A 96 hr.	N/A	

ULTIMATE SHINE II ISSUE DATE 20-FEB-2019

CHEMICAL NAME	ALGAE/AQUATIC PLANTS	FISH	CRUSTACEA
Di(ethylene glycol) ethyl ether	N/A	11400-15700; 96 hr. Onchorhynchus mykiss mg/L LC50 flow-through 11600-16700: 96 hr. Pimephales promelas mg/L LC50 flow-through 10000: 96 hr. lepomis macrochirus mg/L LC50 static 19100-23900: 96 hr. Lepomis macrochirus mg/L LC50 flow- through 13400: 96 hr. salmo gairdneri mg/L LC50 flow-through	N/A
Glycol ether TPM	Glycol ether TPM N/A		10:48 h Daphnia magna mg/L EC50
Dipropylene glycol monomethyl ether (DPM)	Ι Ι		1919:48 h Daphnia magna mg/L LC50 static

Soil Mobility

CHEMICAL NAME	PARTITION COEFFICIENT
Tributoxy phosphate	4.78
Di(ethylene glycol) ethyl ether	-0.8
Dipropylene glycol monomethyl ether (DPM)	-0.064

Persistence and Degradability

No data available.

Bioaccumulation

No data available

Other Adverse Effects

No other adverse effects expected.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe

manner (see Disposal Instructions).

Hazardous Waste Code Not a hazardous waste.

Contaminated Packaging Since empty containers may contain product residue, follow all label warnings even after

container is emptied. Follow disposal directions.

ULTIMATE SHINE II ISSUE DATE 20-FEB-2019

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Not regulated

15. REGULATORY INFORMATION

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CHEMICAL NAME	CAS#
Di(ethylene glycol) ethyl ether	CAS# 111-90-0
Glycol Ether TPM	CAS# 25498-49-1
Dipropylene glycol monomethyl ether (DPM)	CAS# 3459094-8

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Di(ethylene glycol) ethyl ether	Х	X	X
Glycol Ether TPM	X		X
Dipropylene glycol monomethyl ether (DPM)	X		X

16. OTHER INFORMATION

NFPA	Health hazards	1	Flammability	0	Reactivity	0	Other	В
HMIS	Health hazards	1	Flammability	0	Reactivity	0	Personal protection	В

Issue Date Revision Date Revision Note

02/20/2019

N/A = Not Applicable; N/D = Not Determined

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet